

# Chalk Biozone 3 - *Wrevittia cassidata*

From Earthwise

[Jump to navigation](#) [Jump to search](#)

**Age:** Late Cenomanian. **Macrofaunal correlation:** The *C. guerangeri* Zone to the *N. juddii* Zone.

**Definition:** The interval between the LAD of *Epelidosphaeridia spinosa* and the LAD of *Wrevittia cassidata*.

**Comments:** The top of the Biozone is also marked by the LADs of *Adnatosphaeridium tutulosum*, *Apteodinium granulatum* and *Carpodinium obliquicostatum* (see Foucher, 1981; Costa & Davey, 1992; Foucher & Monteil, 1998). The LAD of *Microdinium? reticulatum* and the FAD of *Adnatosphaeridium tutulosum* mark the *C. guerangeri* Zone-*M. geslinianum* Zone boundary (Foucher, 1979; 1981; Foucher & Monteil, 1998).

**Lithostratigraphical correlation:** The upper Zig Zag Chalk and the lower Holywell Nodular Chalk formations (Southern Province), the Ferriby Chalk and the Welton Chalk formations (Northern Province) and the upper Hydra and lowermost Herring formations (North Sea).

Retrieved from

'[http://earthwise.bgs.ac.uk/index.php?title=Chalk\\_Biozone\\_3\\_-\\_Wrevittia\\_cassidata&oldid=1546](http://earthwise.bgs.ac.uk/index.php?title=Chalk_Biozone_3_-_Wrevittia_cassidata&oldid=1546)'

Category:

- [Palynological zonation](#)

## Navigation menu

### Personal tools

- Not logged in
- [Talk](#)
- [Contributions](#)
- [Log in](#)
- [Request account](#)

### Namespaces

- [Page](#)
- [Discussion](#)

### Variants

### Views

- [Read](#)
- [Edit](#)

- [View history](#)
- [PDF Export](#)

□

## More

## Search

## Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

## Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)
- [Cite this page](#)
- [Browse properties](#)

- This page was last modified on 27 September 2013, at 14:31.

- [Privacy policy](#)
- [About Earthwise](#)
- [Disclaimers](#)

