


# References - Geological excursion guide to Rum: the Paleocene igneous rocks of the Isle of Rum, Inner Hebrides

From Earthwise

[Jump to navigation](#) [Jump to search](#)



**Buy the book [EGS](#).** Also available from Amazon

**From: Emeleus, C. H. and Troll, V. R. [A geological excursion guide to Rum: the Paleocene igneous rocks of the Isle of Rum, Inner Hebrides](#). Edinburgh : Edinburgh Geological Society in association with NMS Enterprises Limited, 2008.**

ANDERSON, E. M. (1936): The dynamics of the formation of cone-sheets, ring-dykes and caldron-subsidences, *Proceedings of the Royal Society of Edinburgh*, 56, pp. 128-63.

BAILEY, E. B. (1945): Tertiary igneous tectonics of Rhum, Inner Hebrides, *Quarterly Journal of the Geological Society, London*, 100, pp. 165-91.

BAILEY, E. B. (1956): Hebridean notes: Rhum and Skye, *Liverpool and Manchester Geological Journal*, 1, pp. 420-26.

BEDARD, J. H., SPARKS, R. S. J., RENNER, R., CHEADLE, M. J. and HALLWORTH, M. A. (1988): Peridotite sills and metasomatic gabbros in the Eastern Layered Series of the Rhum complex, *Journal of the Geological Society, London*, 145, pp. 207-24.

BEDARD, J. H. and SPARKS, R. S. J. (1991): Comments on 'The Structure and Petrogenesis of the Trollaval and Ruinsival areas of the Rhum ultrabasic pluton' by A. Volker and B. G. J. Upton, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 82, pp. 389-90.

BELL, B. R. and WILLIAMSON, I. T. (2002): Tertiary igneous activity, in TREWIN, N. H. (ed.): *The Geology of Scotland* (4th edition) (London: The Geological Society).

BINNS, P. E., McQUILLIN, R. and KENOLTY, K. (1974): The geology of the Sea of the Hebrides,

*Report of the Institute of Geological Sciences*, no. 73/14.

BLACK, G. P. (1952): The age relationship of the granophyre and basalt of Orval, Isle of Rhum, *Geological Magazine*, 91, pp. 106-12.

BLACK, G. P. (1954): The acid rocks of Western Rhum, *Geological Magazine*, 91, pp. 257-72.

BLAKE, D. H., ELWELL, R. W. D., GIBSON, I. L., SKELHORN, R. R. and WALKER, G. P. L. (1965): Some relationships resulting from the intimate association of acid and basic magmas, *Quarterly Journal of the Geological Society, London*, 121, pp. 31-50.

BRANNEY, M. J. (1995): Downsag and extension of calderas: new perspectives on collapse geometries from ice melt, mining and volcanic subsidence, *Bulletin of Volcanology*, 57, pp. 303-18.

BROWN, G. M. (1956): The layered ultrabasic rocks of Rhum, Inner Hebrides, *Philosophical Transactions of the Royal Society, London*, 240B, pp. 1-53.

BUTCHER, A. R., YOUNG, I. M. and FAITHFUL, J. W. (1985): Finger structures in the Rhum Complex, *Geological Magazine*, 122, pp. 491-502.

CHAMBERS, L. M., PRINGLE, M. S and PARRISH, R. R. (2005): Rapid formation of the Small Isles Tertiary centre constrained by precise  $^{40}\text{Ar}/^{39}\text{Ar}$  and U-Pb ages, *Lithos*, 79, pp. 367-84.

DAGLEY, P. and MUSSETT, A. E. (1981): Palaeomagnetism of the British Tertiary igneous province: Rhum and Canna, *Geophysical Journal of the Royal Astronomical Society*, 65, pp. 475-91.

DONALDSON, C. H. (1974): Olivine crystal types in harrisitic rocks of the Rhum pluton and in Archean spinifex rocks, *Bulletin of the Geological Society of America*, 85, pp. 1721-26.

DONALDSON, C. H. (1975): Ultrabasic breccias in layered intrusions. The Rhum Complex, *Journal of Geology*, 83, pp. 33-45.

DONALDSON, C. H. (1976): An experimental investigation of olivine morphology, *Contributions to Mineralogy and Petrology*, 57, pp. 187-213.

DONALDSON, C. H., DREVER, H. I. and JOHNSTON, R. (1973): Crystallisation of poikilo-macro-spherulitic feldspar in a Rhum peridotite, *Nature Physical Sciences*, 243, pp. 69-70.

DONALDSON, C. H., TROLL, V. R. and EMELEUS, C. H. (2001): Felsites and breccias in the Northern Marginal Zone of the Rum Central Complex: changing views, c. 1900-2000, *Proceedings of the Yorkshire Geological Society*, 53, pp. 167-75.

DUNHAM, A. C. (1964): A petrographic and geochemical study of back-veining and hybridization at a gabbro-felsite contact in Coire Dubh, Rhum, Invernesshire, *Mineralogical Magazine*, 33, pp. 887-902.

DUNHAM, A. C. (1965): A new type of banding in ultrabasic rocks from Central Rhum, Invernesshire, Scotland, *American Mineralogist*, 50, pp. 1410-20.

DUNHAM, A. C. (1968): The felsites, granophyre, explosion breccias and tuffisites of the north-eastern margin of the Tertiary igneous complex of Rhum, Invernesshire, *Quarterly Journal of the Geological Society, London*, 123, pp. 327-52.

DUNHAM, A. C. and EMELEUS, C. H. (1967) The Tertiary geology of Rhum, Inner Hebrides,

*Proceedings of the Geologists' Association*, 78, pp. 391-418.

EMELEUS, C. H. (1973): Granophyre pebbles in Tertiary conglomerate on the Isle of Canna, Invernesshire, *Scottish Journal of Geology*, 9, pp. 157-59.

EMELEUS, C. H. (1985): The Tertiary lavas and sediments of northwest Rhum, Inner Hebrides, *Geological Magazine*, 122, 419-37.

EMELEUS, C. H. (1997): Geology of Rum and the adjacent islands, *Memoir of the British Geological Survey, Scotland*, Sheet 60.

EMELEUS, C. H. and BELL, B. R. (2005): *British regional geology: the Palaeogene volcanic districts of Scotland* (4th edition) (Nottingham: British Geological Survey).

EMELEUS, C. H., CHEADLE, M. J., HUNTER, R. H., UPTON, B. G. J. and WADSWORTH, W. J. (1996): The Rum Layered Suite, in CAWTHORN, R. G. (ed.): *Layered igneous rocks* (Amsterdam: Elsevier), pp. 403-40.

EMELEUS, C. H. and GYOPARI, M. C. (1992): British Tertiary Volcanic Province, *Geological Conservation Review Series* no. 4 (London: Chapman and Hall).

ENGLAND, R. W. (1988): The early Tertiary stress regime in NW Britain: evidence from the patterns of volcanic activity, in MORTON, A. C. and PARSON, L. M. (eds): *Early Tertiary volcanism and the opening of the NE Atlantic. Special Publication of the Geological Society of London*, 39, pp. 381-89.

FAITHFULL, J. W. (1985): The Lower Eastern Layered Series of Rum, *Geological Magazine*, 122, pp. 459-68.

FREUNDT, A., WILSON, C. J. N. and CAREY, S. N. (2000): Ignimbrites and block- and-ash flows, in SIGURDSSON, H., HOUGHTON, B., McNUTT, S., RYMER, H. and STIX, J. (eds): *Encyclopedia of Volcanoes* (San Diego: Academic Press), pp. 581-99.

FYFE, J. A., LONG, D. and EVANS, D. (1993): *United Kingdom offshore regional report: the geology of the Malin-Hebrides Sea area* (London: HMSO for the British Geological Survey).

GREENWOOD, R. C. (1985): *Geology and petrology of the margin of the Rhum Ultrabasic intrusion, Inner Hebrides, Scotland*, unpublished PhD Thesis, University of St Andrews.

GREENWOOD, R. C., DONALDSON, C. H. and EMELEUS, C. H. (1990): The contact zone of the Rhum ultrabasic intrusion: evidence of peridotite formation from magnesian magmas, *Journal of the Geological Society, London*, 147, pp. 209-12.

HAMILTON, M. A., PEARSON, D. G., THOMPSON, R. N., KELLY, S. P. and EMELEUS, C. H. (1998): Rapid eruption of Skye lavas inferred from precise U-Pb and Ar-Ar dating of the Rum and Cuillin plutonic complexes, *Nature*, 394, pp. 260-63.

HARKER, A. (1908): The geology of the Small Isles of Invernesshire, *Memoir of the Geological Survey, Scotland*, Sheet 60.

HOLNESS, M. B. (1999): Contact metamorphism and anatexis of Torridonian arkose by minor intrusions of the Rum Igneous Complex, Inner Hebrides, Scotland, *Geological Magazine*, 136, pp. 527-42.

- HOLNESS, M. B. (2002): Spherulitic textures formed during crystallization of partially melted arkose, Rum, Scotland, *Geological Magazine*, 139, pp. 651-63.
- HOLNESS, M. B. (2005): Spatial constraints on magma chamber replenishment events from textural observations of cumulates: the Rum Layered Intrusion, Scotland, *Journal of Petrology*, 46, 1585-1601.
- HOLNESS, M. B. (2007): Textural immaturity of cumulates as an indicator of magma chamber processes: infiltration and crystal accumulation in the Rum Eastern Layered Intrusion, *Journal of the Geological Society, London*, 164, pp. 529-39.
- HOLNESS, M. B. and ISHERWOOD, C. E. (2003): The aureole of the Rum Tertiary Igneous Complex, Scotland, *Journal of the Geological Society, London*, 160, pp. 15-27.
- HOLNESS, M. B., CHEADLE, M. J. and MCKENZIE, D. (2005): The uses of changes in dihedral angle to decode late-stage textural evolution in cumulates, *Journal of Petrology*, 46, pp. 1565-83.
- HOLNESS, M. B., NIELSEN, T. F. D. and TEGNER, C. (2007a): Textural maturity of cumulates: a record of chamber filling, liquid assemblage, cooling rate and large-scale convection in mafic layered intrusions, *Journal of Petrology*, 48, pp. 141-57.
- HOLNESS, M. B., HALLWORTH, M. A., WOODS, A., SIDES, R. E. (2007b): Infiltration metasomatism of cumulates by intrusive magma replenishment: the Wavy Horizon, Isle of Rum, Scotland, *Journal of Petrology*, 48, pp. 563-87.
- HUDSON, J. and ALLWRIGHT, A. (2003): *The Geology of Eigg* (Isle of Eigg Heritage Trust).
- HUGHES, C. J. (1960a): The Southern Mountains Igneous Complex, Isle of Rhum, *Quarterly Journal of the Geological Society, London*, 116, pp. 111-38.
- HUGHES, C. J. (1960b): An occurrence of tillyite-bearing limestone in the Isle of Rhum, Inner Hebrides, *Geological Magazine*, 97, pp. 384-88.
- HUGHES, C. J., WADSWORTH, W. J. and EMELEUS, C. H. (1957): The contact between Tertiary granophyre and Torridonian arkose on Minishal, Isle of Rhum, *Geological Magazine*, 94, pp. 337-39.
- JOLLEY, D. W. (1997): Palaeosurface palynofloras of the Skye lava field and the age of the British Tertiary volcanic province, in WIDDOWSON, M. (ed.): *Palaeosurfaces: Recognition, Reconstruction and Palaeoenvironmental Interpretation*, *Geological Society, London, Special Publication*, 120, pp. 67-94.
- LEE, C. E. (1981): Post depositional structures in the Bushveld Complex mafic sequence, *Journal of the Geological Society of London*, 138, pp. 327-41.
- McCLURG, J. E. (1982): *Petrology and evolution of the northern part of the Rhum ultrabasic complex*, unpublished PhD thesis, University of Edinburgh.
- NICHOLSON, P. G. (1992): Precambrian: Upper Proterozoic Torridon Group, in COPE, J. C. W., INGHAM, J. K. and RAWSON, P. F. (eds): *Atlas of palaeogeography and lithofacies*, *Memoir of the Geological Society of London*, no. 13, pp. 5-7.
- NICHOLSON, P. G. (1993): A basin reappraisal of the Proterozoic Torridon Group, Northwest

- Scotland, in FROSTICK, L. E. and STEEL, R. J. (eds): Tectonic Controls and Signatures in Sedimentary Successions, *International Association of Sedimentologists, Special Publications*, 20, pp. 183-202.
- O'DRISCOLL, B., DONALDSON, C. H., TROLL, V. R., JERRAM, D. A. and EMELEUS, C. H. (2007a): An origin for harrisitic and granular olivine in the Rum Layered Suite, NW Scotland: a crystal size distribution study, *Journal of Petrology*, 48, pp. 253-70.
- O'DRISCOLL, B., HARGRAVES, R. B., EMELEUS, C. H., TROLL, V. R., DONALDSON, C. H. and REAVY, R. J. (2007b): Magmatic lineations inferred from anisotropy of magnetic susceptibility fabrics in Units 8, 9, and 10 of the Rum Eastern Layered Series, NW Scotland, *Lithos*, 98, pp. 27-44.
- PALACZ, Z. A. and TAIT, S. R. (1985): Isotopes and geochemical investigation of unit 10 from the Eastern Layered Series of the Rhum Intrusion, Northwest Scotland, *Geological Magazine*, 122, pp. 485-90.
- PEARSON, D. G., EMELEUS, C. H. and KELLEY, S. P. (1996): Precise  $^{40}\text{Ar}/^{39}\text{Ar}$  age for the initiation of Palaeogene volcanism in the Inner Hebrides and its regional significance, *Journal of the Geological Society of London*, 153, pp. 815-18.
- POWER, M. R., PIRRIE, D., and ANDERSON, J. C. Ø. (2003): Diversity of platinum group element mineralization styles in the North Atlantic Igneous Province: new evidence from Rum, UK, *Geological Magazine*, 140, pp. 499-512.
- RENNER, R. and PALACZ, Z. A. (1987): Basaltic replenishment of the Rhum magma chamber: evidence from Unit 14, *Journal of the Geological Society, London*, 144, pp. 961-70.
- ROBBINS, B. (1982): Finger structures in the Lille Kufjord Layered Intrusion, Finnmark, Norway, *Contributions to Mineralogy and Petrology*, 81, pp. 290-95.
- SMITH, N. J. (1985): The age and structural setting of limestones and basalts on the Main Ring Fault in southeast Rhum, *Geological Magazine*, 122, pp. 439-45.
- STEEL, R. J. (1974): New Red Sandstone piedmont and floodplain sedimentation in the Hebridean Province, Scotland, *Journal of Sedimentary Petrology*, 44, pp. 336-57.
- STEEL, R. J. (1977): Triassic rift basins in NW Scotland, their configuration, infilling and development, in FINSTAD, K. C. and SELLEY, R. C. (eds): *Proceedings of the Northern North Sea Symposium* (Stavanger: Norwegian Petroleum Society), Paper 7.
- TAIT, S. R. (1985): Fluid dynamic and geochemical evolution of cyclic unit 10, Rhum, Eastern Layered Series, *Geological Magazine*, 122, pp. 469-84.
- TILLEY, C. E. (1944): A note on the gneisses of Rhum, *Geological Magazine*, 81, pp. 129-31.
- TROLL, V. R., EMELEUS, C. H., and DONALDSON, C. H. (2000): Caldera formation in the Rum central igneous complex, Scotland, *Bulletin of Volcanology*, 62, pp. 301-17.
- TROLL, V. R., DONALDSON, C. H. and EMELEUS, C. H. (2004): Pre-eruptive magma mixing in ash-flow deposits in the Tertiary Rum Igneous Centre, Scotland, *Contributions to Mineralogy and Petrology*, 147, pp. 722-39.
- UPTON, B. G. J., SKOVGAARD, A. C., McCLURG, J. E., KIRSTEIN, L., CHEADLE, M. J., EMELEUS, C.

H., WADSWORTH, W. J. and FALLICK, A. E. (2002): Picritic magmas and the Rum ultramafic complex, Scotland, *Geological Magazine*, 139, pp. 437-52.

VOLKER, J. A. and UPTON, B. G. J. (1990): The structure and petrogenesis of the Trallval and Ruinsival areas of the Rhum ultrabasic pluton, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, pp. 69-88.

VOLKER, J. A. and UPTON, B. G. J. (1991): Reply to comments by J. H. Bedard and R. S. J. Sparks, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 82, pp. 391.

WADSWORTH, W. J. (1961): The layered ultrabasic rocks of south-west Rhum, Inner Hebrides, *Philosophical Transactions of the Royal Society, London*, 244B, pp. 21-64.

WAGER, L. R. and BROWN, G. M. (1968): *Layered Igneous Rocks* (Edinburgh: Oliver and Boyd).

WAGER, L. R., BROWN, G. M. and WADSWORTH, W. J. (1960): Types of igneous cumulates, *Journal of Petrology*, 1, pp. 73-85.

WICKHAM-JONES, C. R. and WOODMAN, P. C. (1998): Studies on the Earliest Settlement of Scotland and Ireland, *Quaternary International*, 49/50, pp. 13-20.

WILLIAMS, C. T. (1985): Pyroclastic rocks in the Cnapan Breaca felsite, Rhum, *Geological Magazine*, 122, pp. 447-50.

WILLIAMSON, I. T. and BELL, B. R. (1994): The Palaeocene lava field of west-central Skye, Scotland: stratigraphy, palaeogeography and structure, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 85, pp. 39-75.

YOUNG, I. M. and DONALDSON, C. H. (1985): Formation of granular-textured layers and laminae within the Rhum crystal pile, *Geological Magazine*, 122, pp. 519-28.

At all times follow: [The Scottish Access Code](#) and [Code of conduct for geological field work](#)

Retrieved from

[http://earthwise.bgs.ac.uk/index.php?title=References\\_-\\_Geological\\_excursion\\_guide\\_to\\_Rum:\\_the\\_Palaeocene\\_igneous\\_rocks\\_of\\_the\\_Isle\\_of\\_Rum,\\_Inner\\_Hebrides&oldid=31820](http://earthwise.bgs.ac.uk/index.php?title=References_-_Geological_excursion_guide_to_Rum:_the_Palaeocene_igneous_rocks_of_the_Isle_of_Rum,_Inner_Hebrides&oldid=31820)

[Category](#):

- [3. Palaeogene volcanic districts of Scotland](#)

## Navigation menu

### Personal tools

- Not logged in
- [Talk](#)
- [Contributions](#)
- [Log in](#)
- [Request account](#)

## Namespaces

- [Page](#)
- [Discussion](#)

## Variants

## Views

- [Read](#)
- [Edit](#)
- [View history](#)
- [PDF Export](#)

## More

## Search

## Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

## Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)
- [Cite this page](#)
- [Browse properties](#)

- This page was last modified on 29 July 2017, at 18:56.

- [Privacy policy](#)
- [About Earthwise](#)
- [Disclaimers](#)

